



**SSG4000AC 12C-Crtrg (1.0LBS-0.454KG)**  
**One part RTV sealant**

**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Manufactured By:** Waterford Plant  
260 Hudson River Rd  
Waterford NY 12188

**Revised:** 09/12/2007  
**Preparer:** PRODUCT STEWARDSHIP COMPLIANCE AND STANDARDS  
**CHEMTREC** 1-800-424-9300

**Chemical Family/Use:** Sealant  
**Formula:** Mixture

**HMIS**

Flammability: 1      Reactivity: 0      Health: 0

**NFPA**

Flammability: 1      Reactivity: 0      Health: 1

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

CAUTION! May cause skin, eye, and respiratory tract irritation. Attention: Not for injection into humans.  
Form: Solid      Color: Black      Odor: sweet

**POTENTIAL HEALTH EFFECTS**

**INGESTION**

May cause stomach discomfort. Not an anticipated route of exposure.

**SKIN**

Uncured product contact will irritate lips, gums and tongue. Skin irritation is possible after contact with the uncured product.

**INHALATION**

Irritating to respiratory system. Applies in uncured state.

**EYES**

Eye irritation on contact with the uncured product.

**MEDICAL CONDITIONS AGGRAVATED**

None known.

**SUBCHRONIC (TARGET ORGAN )**

None known.

**CHRONIC EFFECTS / CARCINOGENICITY**

This product or one of its ingredients present at 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.



**SSG4000AC 12C-Crtrg (1.0LBS-0.454KG)**  
**One part RTV sealant**

**ROUTES OF EXPOSURE**

Eyes; Dermal

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| <u>PRODUCT COMPOSITION</u>     | <u>CAS REG NO.</u> | <u>WGT. %</u> |
|--------------------------------|--------------------|---------------|
| <b><u>A. HAZARDOUS</u></b>     |                    |               |
| Methyl trimethoxysilane        | 1185-55-3          | 1 - 5 %       |
| <b><u>B. NON-HAZARDOUS</u></b> |                    |               |
| Polydimethylsiloxane           | 63148-62-9         | 10 - 30 %     |
| Treated Silica                 | 68937-51-9         | 5 - 10 %      |
| CALCIUM CARBONATE              | 1317-65-3          | 30 - 60 %     |
| dimethylpolysiloxane           | 70131-67-8         | 30 - 60 %     |

**4. FIRST AID MEASURES**

**INGESTION**

Do not induce vomiting. If victim is conscious, give 1-3 glasses of water to drink. Never give anything by mouth to an unconscious person. Get medical attention if irritation persists.

**SKIN**

To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. Get medical attention if irritation persists.

**INHALATION**

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

**EYES**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

**NOTE TO PHYSICIAN**

Treatment is symptomatic and supportive.

**SSG4000AC 12C-Crtrg (1.0LBS-0.454KG)**  
**One part RTV sealant**

**5. FIRE-FIGHTING MEASURES**

**FLASH POINT:** > 93.3 °C; 200 °F  
**METHOD:** estimated  
**FLAMMABLE LIMITS IN AIR - LOWER (%):** No data available  
**FLAMMABLE LIMITS IN AIR - UPPER (%):** No data available

**SENSITIVITY TO MECHANICAL IMPACT:** No

**SENSITIVITY TO STATIC DISCHARGE**  
Sensitivity to static discharge is not expected.

**EXTINGUISHING MEDIA**  
All standard extinguishing agents are suitable.

**SPECIAL FIRE FIGHTING PROCEDURES**  
Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

**6. ACCIDENTAL RELEASE MEASURES**

**ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED**  
Wipe, scrape or soak up in an inert material and put in a container for disposal. Wear proper protective equipment as specified in the protective equipment section. Increase area ventilation.

**7. HANDLING AND STORAGE**

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE**  
Keep container closed when not in use. Avoid contact with skin and eyes. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the fingertips, nails and cuticles. Residual sealant may remain on fingers for several days and transfer to lenses and cause severe eye irritation. Product releases methanol during application and curing. Keep away from children.

**STORAGE**  
Store away from heat, sources of ignition, and incompatibles. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**ENGINEERING CONTROLS**  
Eyewash stations; Showers; Ventilation and other forms of engineering controls are preferred for



**SSG4000AC 12C-Crtrg (1.0LBS-0.454KG)**  
**One part RTV sealant**

controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

**RESPIRATORY PROTECTION**

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

**PROTECTIVE GLOVES**

Rubber gloves

**EYE AND FACE PROTECTION**

Safety glasses

**OTHER PROTECTIVE EQUIPMENT**

Wear suitable protective clothing and eye/face protection.

**Exposure Guidelines**

| <u>Component</u> | <u>CAS RN</u> | <u>Source</u> | <u>Value</u> |
|------------------|---------------|---------------|--------------|
|------------------|---------------|---------------|--------------|

Absence of values indicates none found

PEL - OSHA Permissible Exposure Limit; TLV - ACGIH Threshold Limit Value; TWA - Time Weighted Average

OSHA revoked the Final Rule Limits of January 19, 1989 in response to the 11th Circuit Court of Appeals decision (AFL-CIO v. OSHA) effective June 30, 1993. See 29 CFR 1910.1000 (58 FR 35338).

**9. PHYSICAL AND CHEMICAL PROPERTIES**

|   |                            |
|---|----------------------------|
| <b>PHYSICAL STATE:</b>                                | Solid                      |
| <b>ODOR:</b>  | sweet                      |
| <b>COLOR:</b>   | Black                      |
| <b>DENSITY:</b>                                       | ca. 1.52 g/cm <sup>3</sup> |
| <b>VOLATILE ORGANIC CONTENT (VOL):</b>                | 2.2 %(m)                   |
| <b>SOLUBILITY IN WATER (20 C):</b>                    | Insoluble                  |
| <b>SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT):</b> | Insoluble                  |
| <b>VOC EXCL. H<sub>2</sub>O &amp; EXEMPTS (G/L):</b>  | 37                         |

**10. STABILITY AND REACTIVITY**

**STABILITY**

Stable

**HAZARDOUS POLYMERIZATION**

Will not occur.



**SSG4000AC 12C-Crtrg (1.0LBS-0.454KG)**  
**One part RTV sealant**

---

**HAZARDOUS THERMAL DECOMPOSITION / COMBUSTION PRODUCTS**

Carbon dioxide (CO<sub>2</sub>); Carbon monoxide; Methanol; Silicon dioxide.; Formaldehyde; This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A MSDS for formaldehyde is available from Momentive.

**INCOMPATIBILITY (MATERIALS TO AVOID)**

None known.

**CONDITIONS TO AVOID**

None known.

**11. TOXICOLOGICAL INFORMATION**

**ACUTE ORAL**

Remarks: Unknown

**ACUTE DERMAL**

Remarks: Unknown

**ACUTE INHALATION**

Remarks: Unknown

**OTHER**

None.

**SENSITIZATION**

No data available

**SKIN IRRITATION**

No data available

**EYE IRRITATION**

No data available

**MUTAGENICITY**

Unknown

**12. ECOLOGICAL INFORMATION**

**ECOTOXICITY**

No data available



**SSG4000AC 12C-Crtrg (1.0LBS-0.454KG)**  
**One part RTV sealant**

**DISTRIBUTION**

No data available

**CHEMICAL FATE**

No data available

**13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD**

Disposal should be made in accordance with federal, state and local regulations.

**14. TRANSPORT INFORMATION**

**Further Information:**

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

**15. REGULATORY INFORMATION**

**Inventories**

|  |                      |                   |
|--|----------------------|-------------------|
| Japan Inventory of Existing & New Chemical Substances (ENCS)       | y (Positive listing) |                   |
| Korea Existing Chemicals Inventory (KECI)                          | y (Positive listing) |                   |
| China Inventory of Existing Chemical Substances                    | y (Positive listing) |                   |
| Australia Inventory of Chemical Substances (AICS)                  | y (Positive listing) |                   |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS) | y (Positive listing) |                   |
| TSCA list  | y (Positive listing) | On TSCA Inventory |
| EU list of existing chemical substances                            | y (Positive listing) |                   |
| Canada DSL Inventory   | y (Positive listing) |                   |
| Canada NDSL Inventory  | n (Negative listing) |                   |

For inventories that are marked as quantity restricted or special cases, please contact Momentive.

**US Regulatory Information**



**SSG4000AC 12C-Crtrg (1.0LBS-0.454KG)**  
**One part RTV sealant**

---

**SARA (311,312) HAZARD CLASS**  
Acute Health Hazard

**SARA (313) CHEMICALS**

**Canadian Regulatory Information**

**WHMIS HAZARD CLASS**  
D2B TOXIC MATERIALS

**Other**

**SCHDLE B/HTSUS:** 3214.10 Mastic Based on Rubber

**ECCN:** EAR99

**16. OTHER INFORMATION**

**OTHER**

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate., C = ceiling limit NEGL = negligible EST = estimated NF = none found  
NA = not applicable UNKN = unknown NE = none established REC = recommended ND = none determined V = recommended by vendor SKN = skin TS = trade secret R = recommended MST = mist NT = not tested STEL = short term exposure limit ppm = parts per million ppb = parts per billion By-product= reaction by-product, TSCA inventory status not required under 40 CFR part 720.30(h-2).