

**SS80-300ML**

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** SS80-300ML

**Other means of identification**

**Synonyms:** PRIMER(Toluene solution)

**Recommended use and restriction on use**

**Recommended use:** Primer

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials - Japan LLC  
133 Nishishin-machi, Ohta-shi  
Ohta-shi 10 3738505

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
+1-800-295-2392

**Emergency telephone number**

**Supplier** : CHEMTREC  
1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable liquids Category 2

**Health Hazards**

Acute toxicity (Oral) Category 4  
Acute toxicity (Inhalation) Category 4  
Skin Corrosion/Irritation Category 2  
Serious Eye Damage/Eye Irritation Category 2A  
Skin sensitizer Category 1  
Toxic to reproduction Category 1A  
Specific Target Organ Toxicity - Single Exposure Category 3<sup>1</sup>  
Specific Target Organ Toxicity - Repeated Exposure Category 1<sup>2</sup>

---

**SS80-300ML**

**Target Organs**

1. respiratory tract irritation, narcotic effects
2. Central nervous system., Kidneys, Heart, Liver, Spleen

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Highly flammable liquid and vapor.  
Harmful if swallowed or if inhaled.  
Causes serious eye irritation.  
Causes skin irritation.  
May cause an allergic skin reaction.  
May damage fertility.  
Suspected of damaging the unborn child.  
May cause respiratory irritation.  
May cause drowsiness or dizziness.  
Causes damage to organs through prolonged or repeated exposure.

**Precautionary Statement**

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Wear eye protection/face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep container tightly closed. Use only outdoors or in a well-ventilated area. Do not breathe vapors. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

**Response:** Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing. If skin

**SS80-300ML**

irritation or rash occurs: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

**Storage:** Store locked up. Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:** None.

**Substance(s) formed under the conditions of use:** Silicone resin in toluene

**3. Composition/information on ingredients**

**Mixtures**

| Chemical Identity                        | CAS number | Content in percent (%)* | Notes   |
|--|------------|-------------------------|---|
| Toluene                                  | 108-88-3   | 60 - 100%               | # This substance has workplace exposure limit(s). |
| Aminoethyl aminopropyl trimethoxy silane | 1760-24-3  | 1 - 5%                  | No data available.                                |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

**Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water.

**Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

**Skin Contact:** Wash contaminated clothing before reuse. Wash with soap and water.

**Eye contact:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Most important symptoms/effects, acute and delayed**

**SS80-300ML**

**Symptoms:** Aspiration into the lungs may occur during injection or vomiting, resulting in lung injury and may be fatal. Contains toluene. Stimulants such as epinephrine may induce ventricular fibrillation. The metabolism of other solvents may be inhibited resulting in a potentiation of toxic effects of those chemicals. Uptake is directly proportional to the amount of body fat. Blood levels may be cumulative when exposure is extended.

**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** No data available.

**5. Fire-fighting measures**

**General Fire Hazards:** No data available.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Carbon dioxide Foam. Water mist

**Unsuitable extinguishing media:** No data available.

**Specific hazards arising from the chemical:** In case of fire, carbon monoxide and carbon dioxide may be formed.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Flammable Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Use ground strap and appropriate precautions for dispensing flammable liquids. Avoid inhalation of vapors and spray mists. Avoid contact with skin and eyes. Use only in well-ventilated areas. Keep out of reach of children.

**SS80-300ML**

**Methods and material for containment and cleaning up:**

Wear proper protective equipment as specified in the protective equipment section. Warn other workers of spill. Keep unauthorized personnel away.

**7. Handling and storage**

**Precautions for safe handling:**

Sensitivity to static discharge is expected; material has a flash point below 200 F.

**Conditions for safe storage, including any incompatibilities:**

Recommended storage in original container below 30°C (85°F). Keep container closed.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

| Chemical Identity | type      | Exposure Limit Values         | Source   |
|-------------------|-----------|-------------------------------|--|
| Toluene           | TWA       | 20 ppm                        | US. ACGIH Threshold Limit Values (03 2015)         |
|                   | STEL      | 150 ppm 560 mg/m <sup>3</sup> | US. NIOSH: Pocket Guide to Chemical Hazards (2010) |
|                   | REL       | 100 ppm 375 mg/m <sup>3</sup> | US. NIOSH: Pocket Guide to Chemical Hazards (2010) |
|                   | TWA       | 100 ppm 375 mg/m <sup>3</sup> | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)     |
|                   | STEL      | 150 ppm 560 mg/m <sup>3</sup> | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)     |
|                   | TWA       | 200 ppm                       | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)    |
|                   | Ceiling   | 300 ppm                       | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)    |
|                   | MAX. CONC | 500 ppm                       | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)    |

**Biological Limit Values**

| Chemical Identity   | Exposure Limit Values          | Source              |
|---|--------------------------------|---------------------|
| Toluene (o-Cresol, with hydrolysis: Sampling time: End of shift.)   | 0.3 mg/g (Creatinine in urine) | ACGIH BEI (03 2015) |
| Toluene (toluene: Sampling time: Prior to last shift of work week.) | 0.02 mg/l (Blood)              | ACGIH BEI (03 2015) |
| Toluene (toluene: Sampling time: End of shift.)                     | 0.03 mg/l (Urine)              | ACGIH BEI (03 2015) |

**Appropriate Engineering Controls**

Safety shower.

**SS80-300ML**

**Individual protection measures, such as personal protective equipment**

|                                |   |
|--------------------------------|---|
| <b>General information:</b>    | No data available.  |
| <b>Eye/face protection:</b>    | Safety glasses with side shields Monogoggles  |
| <b>Skin Protection</b>         |   |
| <b>Hand Protection:</b>        | Nitrile gloves are recommended.   |
| <b>Other:</b>                  | rubber overcoat   |
| <b>Respiratory Protection:</b> | Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. |
| <b>Hygiene measures:</b>       | No data available.  |

**9. Physical and chemical properties**

**Appearance**

|  |                                |
|--|--------------------------------|
| <b>Physical state:</b>                                       | liquid                         |
| <b>Form:</b>   | liquid                         |
| <b>Color:</b>  | Pale yellow                    |
| <b>Odor:</b>   | Aromatic                       |
| <b>Odor threshold:</b>                                       | No data available.             |
| <b>pH:</b>   | No data available.             |
| <b>Melting point/freezing point:</b>                         | No data available.             |
| <b>Initial boiling point and boiling range:</b>              | ca. 111 °C                     |
| <b>Flash Point:</b>  | ca. 5 °C                       |
| <b>Evaporation rate:</b>                                     | No data available.             |
| <b>Flammability (solid, gas):</b>                            | No data available.             |
| <b>Upper/lower limit on flammability or explosive limits</b> |                                |
| <b>Flammability limit - upper (%):</b>                       | No data available.             |
| <b>Flammability limit - lower (%):</b>                       | No data available.             |
| <b>Explosive limit - upper (%):</b>                          | No data available.             |
| <b>Explosive limit - lower (%):</b>                          | No data available.             |
| <b>Heat of combustion:</b>                                   | No data available.             |
| <b>Vapor pressure:</b>                                       | No data available.             |
| <b>Vapor density:</b>  | No data available.             |
| <b>Density:</b>  | 0.88 g/cm <sup>3</sup> (25 °C) |
| <b>Relative density:</b>                                     | No data available.             |
| <b>Solubility(ies)</b>                                       |                                |
| <b>Solubility in water:</b>                                  | Insoluble                      |

**SS80-300ML**

|   |                    |
|---|--------------------|
| <b>Solubility (other):</b>                              | Insoluble          |
| <b>Partition coefficient (n-octanol/water) Log Pow:</b> | No data available. |
| <b>Auto-ignition temperature:</b>                       | 536 °C             |
| <b>Decomposition temperature:</b>                       | No data available. |
| <b>SADT:</b>  | No data available. |
| <b>Viscosity, dynamic:</b>                              | No data available. |
| <b>Viscosity, kinematic:</b>                            | No data available. |
| <b>VOC:</b>   | 809 g/l            |

**10. Stability and reactivity**

|  |  |
|--|--|
| <b>Reactivity:</b>                         | No data available.                               |
| <b>Chemical Stability:</b>                 | No data available.                               |
| <b>Possibility of hazardous reactions:</b> | Hazardous polymerisation does not occur.         |
| <b>Conditions to avoid:</b>                | Keep away from sources of ignition - No smoking. |
| <b>Incompatible Materials:</b>             | Oxidizing agents.                                |
| <b>Hazardous Decomposition Products:</b>   | Carbon dioxide Silicon dioxide.                  |

**11. Toxicological information**

**Information on likely routes of exposure**

|                      |                    |
|----------------------|--------------------|
| <b>Ingestion:</b>    | No data available. |
| <b>Inhalation:</b>   | No data available. |
| <b>Skin Contact:</b> | No data available. |
| <b>Eye contact:</b>  | No data available. |

**Symptoms related to the physical, chemical and toxicological characteristics**

|                      |                    |
|----------------------|--------------------|
| <b>Ingestion:</b>    | No data available. |
| <b>Inhalation:</b>   | No data available. |
| <b>Skin Contact:</b> | No data available. |
| <b>Eye contact:</b>  | No data available. |

---

**SS80-300ML**

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

**Product:**

**Specified substance(s):**

Toluene LD 50 (Rat, No data available.): 865 mg/kg  
LD 50 (Rat, No data available.): 5,000 mg/kg

Aminoethyl aminopropyl trimethoxy silane LD 50 (Rat): 2,995 mg/kg

**Dermal**

**Product:**

No data available.

**Specified substance(s):**

Toluene LD 50 (Rabbit, No data available.): 12,124 mg/kg

Aminoethyl aminopropyl trimethoxy silane LD 50 (Rabbit): > 2,000 mg/kg

**Inhalation**

**Product:**

No data available.

**Specified substance(s):**

Toluene LC50 (Rat, ): 1.2 mg/l  
LC50 (Rat, ): 30.6 mg/l

**Repeated dose toxicity**

**Product:**

No data available.

**Specified substance(s):**

Aminoethyl aminopropyl trimethoxy silane NOAEL (Rat, Oral, 28 d):  $\geq 500$  mg/kg

**Skin Corrosion/Irritation**

**Product:**

No data available.

**Specified substance(s):**

Toluene Corrosive

**Specified substance(s):**



---

**SS80-300ML**

Aminoethyl  
aminopropyl trimethoxy  
silane                      OECD Test Guideline 404 (Rabbit): No skin irritation

**Serious Eye Damage/Eye Irritation**

**Product:**                      No data available.

**Specified substance(s):**

Aminoethyl                      OECD Test Guideline 405 (Rabbit): Strongly irritating.  
aminopropyl trimethoxy  
silane

**Respiratory or Skin Sensitization**

**Product:**                      No data available.

**Carcinogenicity**

**Product:**                      No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:**                      No data available.

**In vivo**

**Product:**                      No data available.

**Reproductive toxicity**

**Product:**                      No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:**                      No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

---

**SS80-300ML**

**Product:** No data available.

**Target Organs**

Specific Target Organ Toxicity - Single Exposure: respiratory tract irritation, narcotic effects  
Specific Target Organ Toxicity - Repeated Exposure: Central nervous system., Kidneys, Heart, Liver, Spleen

**Aspiration Hazard**

**Product:** No data available.

**Other effects:** No data available.

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Oral** No data available.

**Dermal** No data available.

**Inhalation** No data available.

**Repeated dose toxicity** No data available.

**Skin Corrosion/Irritation** No data available.

**Serious Eye Damage/Eye Irritation** No data available.

---

**SS80-300ML**

**Respiratory or Skin Sensitization**

No data available.

**Carcinogenicity**

No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No data available.

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No data available.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No data available.

**Germ Cell Mutagenicity**

**In vitro**

No data available.

**Germ Cell Mutagenicity**

**In vivo**

No data available.

**Reproductive toxicity**

No data available.

**Specific Target Organ Toxicity - Single Exposure**

No data available.

**Specific Target Organ Toxicity - Single Exposure**

No data available.

**Target Organs**

**Aspiration Hazard**

No data available.

**Other effects**

No data available.

**SS80-300ML**

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

|  |  |
|--|--|
| <b>Product:</b>                          | No data available.   |
| <b>Specified substance(s):</b>           |  |
| Toluene                                  | LC0 (Leuciscus idus, 48 h): 52 mg/l<br>LC50 (Leuciscus idus, 48 h): 70 mg/l<br>LC50 (Pimephales promelas, 96 h): 34 mg/l |
| Aminoethyl aminopropyl trimethoxy silane | LC50 (Lepomis macrochirus): > 100 mg/l   |

**Aquatic Invertebrates**

|  |   |
|--|---|
| <b>Product:</b>                          | No data available.  |
| <b>Specified substance(s):</b>           |   |
| Toluene                                  | LC0 (Daphnia magna): 93 mg/l<br>(Daphnia magna): 270 mg/l |
| Aminoethyl aminopropyl trimethoxy silane | EC50 (Daphnia magna, 48 h): 87.4 mg/l                     |

**Chronic hazards to the aquatic environment:**

**Fish**

|                 |                    |
|-----------------|--------------------|
| <b>Product:</b> | No data available. |
|-----------------|--------------------|

**Aquatic Invertebrates**

|                 |                    |
|-----------------|--------------------|
| <b>Product:</b> | No data available. |
|-----------------|--------------------|

**Toxicity to Aquatic Plants**

|  |  |
|--|--|
| <b>Product:</b>                          | No data available.   |
| <b>Specified substance(s):</b>           |  |
| Aminoethyl aminopropyl trimethoxy silane | EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): 8.8 mg/l<br>NOEC (Algae (Pseudokirchneriella subcapitata)): 3.1 mg/l |

**Persistence and Degradability**

**Biodegradation**

|                 |                    |
|-----------------|--------------------|
| <b>Product:</b> | No data available. |
|-----------------|--------------------|

**SS80-300ML**

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative Potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in Soil:** No data available.

**Known or predicted distribution to environmental compartments**

Toluene No data available.

Aminoethyl aminopropyl  
trimethoxy silane No data available.

**Known or predicted distribution to environmental compartments**

1-Propene, homopolymer,  
chlorinated No data available.

**Other Adverse Effects:** No data available.

**13. Disposal considerations**

**Disposal instructions:** Dispose of according to all federal, state and local applicable regulations.

**Contaminated Packaging:** Dispose of as unused product.

**14. Transport information**

**DOT**

UN Number: UN 1294  
UN Proper Shipping Name: Toluene solution  
Transport Hazard Class(es)  
Class: 3  
Label(s): 3  
Packing Group: II  
Marine Pollutant: No

**SS80-300ML**

**IMDG**

|                            |                  |
|----------------------------|------------------|
| UN Number:                 | UN 1294          |
| UN Proper Shipping Name:   | TOLUENE SOLUTION |
| Transport Hazard Class(es) |                  |
| Class:                     | 3                |
| Label(s):                  | 3                |
| EmS No.:                   | F-E, S-D         |
| Packing Group:             | II               |
| Marine Pollutant:          | No               |
| Limited quantity           | 1.00L            |
| Excepted quantity          | E2               |

**IATA**

|                              |                  |
|------------------------------|------------------|
| UN Number:                   | UN 1294          |
| Proper Shipping Name:        | Toluene solution |
| Transport Hazard Class(es):  |                  |
| Class:                       | 3                |
| Label(s):                    | 3                |
| Packing Group:               | II               |
| Cargo aircraft only Packing  | 364              |
| Instructions:                |                  |
| Passenger and cargo aircraft | 364              |
| Packing Instructions:        |                  |
| Limited quantity:            | 1.00L            |
| Packing Instructions:        | Y341             |
| Excepted quantity            | E2               |
| Environmental Hazards:       | Not regulated.   |
| Marine Pollutant:            | No               |

|                                   |
|-----------------------------------|
| <b>15. Regulatory information</b> |
|-----------------------------------|

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Toluene                  | 1,000 lbs.                 |

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Fire Hazard

**SS80-300ML**

Immediate (Acute) Health Hazards  
 Delayed (Chronic) Health Hazard

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Toluene                  | 1,000 lbs.                 |

**SARA 311/312 Hazardous Chemical**

| <u>Chemical Identity</u>                 | <u>Threshold Planning Quantity</u> |
|--|------------------------------------|
| Toluene                                  | 10000 lbs                          |
| Aminoethyl aminopropyl trimethoxy silane | 10000 lbs                          |

**SARA 313 (TRI Reporting)**

| <u>Chemical Identity</u> | <u>Reporting threshold for other users</u> | <u>Reporting threshold for manufacturing and processing</u> |
|--------------------------|--|---|
| Toluene                  |  |   |

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

| <u>Chemical Identity</u> | <u>Reportable quantity</u>      |
|--------------------------|---------------------------------|
| Toluene                  | Reportable quantity: 1,000 lbs. |

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

|         |  |
|---------|--|
| Toluene | Maximum Allowable Dose Level (MADL): 13000 µg/day.<br>Developmental toxin. |
|---------|--|

**US. New Jersey Worker and Community Right-to-Know Act**

| <u>Chemical Identity</u>                 |
|--|
| Toluene                                  |
| 1-Propene, homopolymer, chlorinated      |
| Aminoethyl aminopropyl trimethoxy silane |

**US. Massachusetts RTK - Substance List**

| <u>Chemical Identity</u> |
|--------------------------|
| Toluene                  |

**SS80-300ML**

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**

Toluene

**US. Rhode Island RTK**

**Chemical Identity**

Toluene

**Inventory Status:**

|  |                      |                            |
|--|----------------------|----------------------------|
| Australia AICS:                                  | y (positive listing) | Remarks: None.             |
| EU EINECS List:                                  | y (positive listing) | Remarks: None.             |
| Japan (ENCS) List:                               | y (positive listing) | Remarks: None.             |
| China Inventory of Existing Chemical Substances: | y (positive listing) | Remarks: None.             |
| Korea Existing Chemicals Inv. (KECI):            | y (positive listing) | Remarks: None.             |
| Canada DSL Inventory List:                       | y (positive listing) | Remarks: None.             |
| Canada NDSL Inventory:                           | n (Negative listing) | Remarks: None.             |
| Philippines PICCS:                               | y (positive listing) | Remarks: None.             |
| US TSCA Inventory:                               | y (positive listing) | Remarks: On TSCA Inventory |
| Taiwan. Taiwan inventory (CSNN):                 | y (positive listing) | Remarks: None.             |

**16. Other information, including date of preparation or last revision**

**HMIS Hazard ID**

|                            |   |          |
|----------------------------|---|----------|
| <b>Health</b>              | * | <b>3</b> |
| <b>Flammability</b>        |   | <b>3</b> |
| <b>Physical Hazards</b>    |   | <b>1</b> |
| <b>PERSONAL PROTECTION</b> |   |          |

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 08/23/2016  
**Revision Date:** No data available.  
**Version #:** 2.0  
**Further Information:** No data available.



---

**SS80-300ML**

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.